



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-1-1-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Unica, Omega
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-19-2017

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides= 600 rear= 600 front= 1500
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0921%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [237°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	8,3 kW -wood;
Room heating output	8,3 kW -wood;
Water heating output	- kW
Energy efficiency	η [75,11%] -wood;

Emission of combustion products	dust [36,5mg/m ³] -wood;
	NOx [99,74mg/m ³] -wood;
	CxHy [71,17- mg/m ³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: 
 (Plamen Stoyanov)





DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-1-2-CPR-2019

- | | |
|--|--|
| 1.Unique identification code of the product-type: | Area code 27 –roomheaters fired by solid fuel
(EN 13240:2001/A2:2004/AC:2007)
Rubin Lux |
| 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): | Serial № (see rating label on the product). |
| 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: | Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating |
| 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): | Victoria-05 Ltd.
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg |
| 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): | - |
| 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: | System 3 |
| 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: | Kontrol 94 Ltd.
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-19-2017 |

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=600 front=1000
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0921%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [237°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	13 kW -wood;
Room heating output	13 kW -wood;
Water heating output	- kW
Energy efficiency	η [75,11%] -wood;
Emission of combustion products	
	dust [36,5mg/m ³] -wood;
	NOx [99,74mg/m ³] -wood;
	CxHy [71,17mg/m ³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager: _____
(Plamen Stoyanov)





DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-2-1-CPR-2019

- | | |
|--|--|
| 1. Unique identification code of the product-type: | Area code 27 –roomheaters fired by solid fuel
(EN 13240:2001/A2:2004/AC:2007)
Opal-w, Opal Lux-w, Opal L-w |
| 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): | Serial № (see rating label on the product). |
| 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: | Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating |
| 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): | Victoria-05 Ltd.
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg |
| 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): | - |
| 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: | System 3 |
| 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: | Kontrol 94 Ltd.
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-28-2018 |

8.Declared performance:


Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=300 rear=300 front=1000
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0796%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [175°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	5,15 kW -wood;
Room heating output	5,15 kW -wood;
Water heating output	- kW
Energy efficiency	η [79,96%] -wood;

Emission of combustion products	dust [38,8 mg/m ³] -wood;
	NOx [92,35 mg/m ³] -wood;
	CxHy [61,92 mg/m ³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.05.2019
Gorna Oryahovitsa


 Manager: _____
 (Dimitar Nenov)

DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-2-2-CPR-2019

- | | |
|--|--|
| 1.Unique identification code of the product-type: | Area code 27 –roomheaters fired by solid fuel
(EN 13240:2001/A2:2004/AC:2007)
Orion |
| 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): | Serial № (see rating label on the product). |
| 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: | Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating |
| 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): | Victoria-05 Ltd.
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg |
| 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): | - |
| 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: | System 3 |
| 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: | Kontrol 94 Ltd.
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-28-2018 |

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=400 front=1000
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0796%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [175°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	7 kW -wood;
Room heating output	7 kW -wood;
Water heating output	kW- wood;
Energy efficiency	η [79,96%]
Emission of combustion products	
	dust [38,8 mg/m ³] -wood;
	NOx [92,35 mg/m ³]-wood;
	CxHy [61,92 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager: _____
(Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-2-3-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Rhyton
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-28-2018

8.Declared performance:


Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=400 front=1000
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0796%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [175°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	9 kW -wood;
Room heating output	9 kW -wood;
Water heating output	kW- wood;
Energy efficiency	η [79,96%]
Emission of combustion products	
	dust [38,8 mg/m ³] -wood;
	NOx [92,35 mg/m ³]-wood;
	CxHy [61,92 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager:
 (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-2-4-CPR-2020

- | | |
|--|--|
| 1.Unique identification code of the product-type: | Area code 27 –roomheaters fired by solid fuel
(EN 13240:2001/A2:2004/AC:2007)
Orion Vision |
| 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): | Serial № (see rating label on the product). |
| 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: | Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating |
| 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): | Victoria-05 Ltd.
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg |
| 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): | - |
| 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: | System 3 |
| 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: | Kontrol 94 Ltd.
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-28-2018 |


8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=650 rear=400 front=1000
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0796%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [175 C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	7 kW -wood;
Room heating output	7 kW -wood;
Water heating output	kW- wood;
Energy efficiency	η [79,96%]
Emission of combustion products	
	dust [38,8 mg/m ³] -wood;
	NOx [92,35 mg/m ³]-wood;
	CxHy [61,92 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.07.2020
Gorna Oryahovitsa

Managers: 
(Dimitar Nenov)



- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Marinela K, Marinela, Marinela S
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB1879-K-09-2011

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=400 front=1400
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0.0988 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [233°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	7.22 kW -wood;
Room heating output	7.22 kW -wood;
Water heating output	- kW
Energy efficiency	η [75.75%] -wood;

Emission of combustion products	dust [39.10 mg/m ³] -wood;
	NOx [98.90 mg/m ³]- wood;
	CxHy [81.39 mg/m ³]- wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: 
 (Plamen Stoyanov)


DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-3-2-CPR-2019

1. Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Marinela PS-t
2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
7. In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-09-2011

8. Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=400 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0988 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [233°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	7.2 kW -wood;
Room heating output	7.2 kW-wood;
Water heating output	- kW
Energy efficiency	η [75,75%] -wood;

Emission of combustion products	dust [39,1 mg/m ³] -wood;
	NOx [98,9 mg/m ³] -wood;
	CxHy [81.39 mg/m ³]

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: _____
 (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-4-1-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Marinela PKBO-t, Marinela PBO-t, Marinela PSBO-t, Marinela B*
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-09-2012

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=300 rear=250 front=1000
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0.0944 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	2 bar
Flue gas temperature at nominal heat output	T [217°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	8.38 kW -wood;
Room heating output	3.27 kW -wood;
Water heating output	5.11 kW -wood;
Energy efficiency	η [79.62%] -wood;

Emission of combustion products	dust [34.10 mg/m ³] -wood;
	NOx [103.12 mg/m ³] -wood;
	CxHy [91.80 mg/m ³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager:.....
 (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-5-1-CPR-2019

1. Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Titan A, Titan AS, Titan
2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
7. In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-20-2014

8. Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=350 rear=350 front=1000
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0907%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [267°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	13,54 kW -wood;
Room heating output	13,54 kW -wood;
Water heating output	- kW
Energy efficiency	η [76,87%] -wood;

Emission of combustion products	dust [33,9 mg/m ³] -wood;
	NOx [117,97 mg/m ³] -wood;
	CxHy [69,42 mg/m ³] -wood;

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager:
 (Plamen Stoyanov)



1. Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Grande, Grande A, Grande Lux, Grande Lux A, Pearl, Pearl S, Pearl A, Rein K, Diplomat
2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
7. In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-20-2014

8. Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=350 rear=350 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0907%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [267°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	14 kW -wood;
Room heating output	14 kW -wood;
Water heating output	- kW
Energy efficiency	η [76,87%] -wood;

Emission of combustion products	dust [33,9 mg/m ³] -wood;
	NOx [117,97 mg/m ³] -wood;
	CxHy [69,42 mg/m ³] -wood;

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: 
 Z(Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-5-3-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Sonata
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-20-2014

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=350 rear=350 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0907%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [267°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	16 kW -wood;
Room heating output	16 kW -wood;
Water heating output	- kW
Energy efficiency	η [76,87%] -wood;

Emission of combustion products	dust [33,9 mg/m ³] -wood;
	NOx [117,97 mg/m ³] -wood;
	CxHy [69,42 mg/m ³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: 
 (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-5-4-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Triumph
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-20-2014

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=600 rear=600 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0907%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [267°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	15 kW -wood;
Room heating output	15 kW -wood;
Water heating output	- kW
Energy efficiency	η [76,87%] -wood;

Emission of combustion products	dust [33,9 mg/m ³] -wood;
	NOx [117,97 mg/m ³] -wood;
	CxHy [69,42 mg/m ³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager:
(Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-5-5-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Atlant C, Atlant CM
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-20-2014

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=650 rear=650 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0907%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [267°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	15 kW -wood;
Room heating output	15 kW -wood;
Water heating output	- kW
Energy efficiency	η [76,87%] -wood;

Emission of combustion products	dust [33,9 mg/m ³] -wood;
	NOx [117,97 mg/m ³] -wood;
	CxHy [69,42 mg/m ³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager: 
(Plamen Stoyanov)



1. Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Comfort K, Comfort AK
2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
7. In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-20-2014

8. Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=250 rear=250 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0907%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [267°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	11 kW -wood;
Room heating output	11 kW -wood;
Water heating output	- kW
Energy efficiency	η [76,87%] -wood;

Emission of combustion products	dust [33,9 mg/m ³] -wood;
	NOx [117,97 mg/m ³] -wood;
	CxHy [69,42 mg/m ³] -wood;

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager:

(Plamen Stoyanov) 05



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-5-7-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel
(EN 13240:2001/A2:2004/AC:2007)
Ray Max, Ray Max G
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-20-2014

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=650 rear=650 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0907%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [267°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	13 kW -wood;
Room heating output	13 kW -wood;
Water heating output	- kW
Energy efficiency	η [76,87%] -wood;

Emission of combustion products	dust [33,9 mg/m ³] -wood;
	NOx [117,97 mg/m ³] -wood;
	CxHy [69,42 mg/m ³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager:
(Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-5-8-CPR-2019

1. Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Rubin
2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
7. In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-20-2014

8. Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=350 rear=650 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0907%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [267°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	13 kW -wood;
Room heating output	13 kW -wood;
Water heating output	- kW
Energy efficiency	η [76,87%] -wood;

Emission of combustion products	dust [33,9 mg/m ³] -wood;
	NOx [117,97 mg/m ³] -wood;
	CxHy [69,42 mg/m ³] -wood;

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager:
 (Plamen Stoyanov)



1. Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Onyx
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-20-2014

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=400 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,1600 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [451°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	14 kW -wood;
Room heating output	14 kW -wood;
Water heating output	- kW
Energy efficiency	η [59,63%] -wood;

Emission of combustion products	dust [132 mg/m ³] -wood;
	NOx [-mg/m ³] -wood;
	CxHy [- mg/m ³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager:
(Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-5-10-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Opus
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-20-2014

8.Declared performance:


Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides= 600 rear= 600 front= 800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0907%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [267°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	14 kW -wood;
Room heating output	14 kW -wood;
Water heating output	- kW
Energy efficiency	η [76,87 %] -wood;

Emission of combustion products	dust [33,9 mg/m ³] -wood;
	NOx [117,97 mg/m ³] -wood;
	CxHy [69,42 mg/m ³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: 
 (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-5-11-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Opus 5
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-20-2014

8.Declared performance:


Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides= 400 rear= 600 front= 800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0907%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [267°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	14 kW -wood;
Room heating output	14 kW -wood;
Water heating output	- kW
Energy efficiency	η [76,87 %] -wood;

Emission of combustion products	dust [33,9 mg/m ³] -wood;
	NOx [117,97 mg/m ³] -wood;
	CxHy [69,42 mg/m ³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: 
 (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-5-12-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Taro, Taro 2
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-20-2014

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides= 250 rear= 250 front= 800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0907%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [267°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	10 kW -wood;
Room heating output	10 kW -wood;
Water heating output	- kW
Energy efficiency	η [76,87%] -wood;

Emission of combustion products	dust [33,9 mg/m ³] -wood;
	NOx [117,97 mg/m ³] -wood;
	CxHy [69,42 mg/m ³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: 
 (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-5-13-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Panama, Panama A, Panama 2, Panama 2A
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-20-2014

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=400 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0907 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [267°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	9 kW-wood;
Room heating output	9 kW-wood;
Water heating output	- kW
Energy efficiency	η [76,87%]-wood;
Emission of combustion products	
	dust [33,9 mg/m ³] -wood;
	NOx [117,97 mg/m ³]
	CxHy [69,42 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: 
 (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-5-14-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Nero Lux
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-20-2014

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=450 rear=400 front=1300
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0907%] –wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [267°C] –wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	11 kW–wood;
Room heating output	11 kW–wood;
Water heating output	- kW
Energy efficiency	η [76,87%]–wood;
Emission of combustion products	
	dust [33,9 mg/m ³] –wood;
	NOx [117,97 mg/m ³] –wood;
	CxHy [69,42 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager: 
(Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-5-15-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Brita
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-20-2014

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=550 rear=1100 front=1100
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0907%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [267°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	11 kW -wood;
Room heating output	11 kW -wood;
Water heating output	kW- wood;
Energy efficiency	η [76,87%]
	dust [33,9 mg/m ³] -wood;
	NOx [117,97 mg/m ³]-wood;
	CxHy [69,42 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: _____
 (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-5-16-CPR-2022

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Delta
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-20-2014

8.Declared performance:


Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=750 rear=700 front=850
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0907%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [267°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	16 kW -wood;
Room heating output	16 kW -wood;
Water heating output	kW- wood;
Energy efficiency	η [76,87%]
	dust [33,9 mg/m ³] -wood;
	NOx [117,97 mg/m ³]-wood;
	CxHy [69,42 mg/m ³]-wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.01.2022
 Gorna Oryahovitsa

Manager:
 (Dimitar Nenov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-6-1-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Diplomat BO-v, Diplomat B*
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-07-2012


8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=250 front=1000
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0.0738 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	2 bar
Flue gas temperature at nominal heat output	T [276°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	14.43 kW -wood;
Room heating output	6.80 kW -wood;
Water heating output	7.63 kW -wood;
Energy efficiency	η [79.53%] -wood;
Emission of combustion products	
	dust [36.40 mg/m ³] -wood;
	NOx [120.66 mg/m ³] -wood;
	CxHy [85.49 mg/m ³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: 
 (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-6-2-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Sonata B*, Sonata BO
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-07-2012

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=250 front=1000
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0.0738 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	2 bar
Flue gas temperature at nominal heat output	T [276°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	16.00 kW -wood;
Room heating output	8.50 kW -wood;
Water heating output	7.50 kW -wood;
Energy efficiency	η [79.53%] -wood;
Emission of combustion products	
	dust [36.40 mg/m ³] -wood;
	NOx [120.66 mg/m ³] -wood;
	CxHy [85.49 mg/m ³] - wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager: _____
(Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-6-3-CPR-2019

1. Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Ray Max B*, Rubin B*, Rubin BO
2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
7. In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-07-2012

8. Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=250 front=1000
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0.0738 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	2 bar
Flue gas temperature at nominal heat output	T [276°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	13 kW -wood;
Room heating output	5.50 kW -wood;
Water heating output	7.50 kW -wood;
Energy efficiency	η [79.53%] wood;
Emission of combustion products	
	dust [36.40 mg/m ³] -wood;
	NOx [120.66 mg/m ³] -wood;
	CxHy [85.49 mg/m ³] -wood;

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: _____
 (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-6-4-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Nero Lux B*, Nero Lux BO
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-07-2012

8.Declared performance:


Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=250 front=1000
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0.0738 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	2 bar
Flue gas temperature at nominal heat output	T [276°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	11.00 kW -wood;
Room heating output	6.00 kW -wood;
Water heating output	5.00 kW -wood;
Energy efficiency	η [79.53%] -wood;
Emission of combustion products	
	dust [36.40 mg/m ³] -wood;
	NOx [120.66 mg/m ³] -wood;
	CxHy [85.49 mg/m ³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager:
(Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-6-5-CPR-2022

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Grande BO-tv, Grande B*, Grande AB*, Grande ABO-tv, Grande Lux BO-tv, Grande Lux AB*, Grande Lux ABO-tv, Grande Lux B*, Titan-SBO-tw, Titan ASBO-tw, Pearl SB*, Pearl AB*, Rein KB* , Rein B*, Rein BO
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-07-2012


8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=300 rear=250 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0738 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	2 bar
Flue gas temperature at nominal heat output	T [276°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	14.1 kW -wood;
Room heating output	6.55 kW -wood;
Water heating output	7.55 kW- wood;
Energy efficiency	η [79,53 %]
	dust [36,4 mg/m ³] -wood;
	NOx [120,66 mg/m ³]-wood;
	CxHy [85,49 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.01.2022
 Gorna Oryahovitsa

Manager: 
 (Dimitar Nenov)



- | | |
|--|--|
| 1. Unique identification code of the product-type: | Area code 27 –roomheaters fired by solid fuel
(EN 13240:2001/A2:2004/AC:2007)
Triumph B* |
| 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): | Serial № (see rating label on the product). |
| 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: | Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating |
| 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): | Victoria-05 Ltd.
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg |
| 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): | - |
| 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: | System 3 |
| 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: | Kontrol 94 Ltd.
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-07-2012 |

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=300 rear=250 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0738 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	2 bar
Flue gas temperature at nominal heat output	T [276°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	15 kW -wood;
Room heating output	7,5 kW -wood;
Water heating output	7,5 kW- wood;
Energy efficiency	η [79,53%]
	dust [36,4 mg/m ³] -wood;
	NOx [120.67 mg/m ³]-wood;
	CxHy [85,49 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager:  (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-6-7-CPR-2019

- | | |
|--|--|
| 1.Unique identification code of the product-type: | Area code 27 –roomheaters fired by solid fuel
(EN 13240:2001/A2:2004/AC:2007)
Comfort KB* |
| 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): | Serial № (see rating label on the product). |
| 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: | Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating |
| 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): | Victoria-05 Ltd.
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg |
| 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): | - |
| 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: | System 3 |
| 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: | Kontrol 94 Ltd.
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-07-2012 |


8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=250 rear=250 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0738%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	2 bar
Flue gas temperature at nominal heat output	T [276°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	11 kW -wood;
Room heating output	4 kW -wood;
Water heating output	7 kW- wood;
Energy efficiency	η [79,53 %]
	dust [36,4 mg/m ³] -wood;
	NOx [120,66 mg/m ³]-wood;
	CxHy [85,49 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager: 
(Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-6-8-CPR-2022

- | | |
|--|--|
| 1. Unique identification code of the product-type: | Area code 27 –roomheaters fired by solid fuel
(EN 13240:2001/A2:2004/AC:2007)
Deluxe B* |
| 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): | Serial № (see rating label on the product). |
| 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: | Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating |
| 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): | Victoria-05 Ltd.
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg |
| 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): | - |
| 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: | System 3 |
| 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: | Kontrol 94 Ltd.
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-07-2012 |


8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=250 rear=250 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0738%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	2 bar
Flue gas temperature at nominal heat output	T [276°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	12,14 kW -wood;
Room heating output	5,08 kW -wood;
Water heating output	7,06 kW- wood;
Energy efficiency	η [79,53 %]
	dust [36,4 mg/m ³] -wood;
	NOx [120,66 mg/m ³] -wood;
	CxHy [85,49 mg/m ³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.01.2022
Gorna Oryahovitsa

Manager: 
(Dimitar Nenov)



- | | |
|--|--|
| 1.Unique identification code of the product-type: | Area code 27 –roomheaters fired by solid fuel
(EN 13240:2001/A2:2004/AC:2007)
Elegance B* |
| 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): | Serial № (see rating label on the product). |
| 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: | Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating |
| 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): | Victoria-05 Ltd.
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg |
| 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): | - |
| 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: | System 3 |
| 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: | Kontrol 94 Ltd.
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-07-2012 |

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=250 rear=250 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0738%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	2 bar
Flue gas temperature at nominal heat output	T [276°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	9,26 kW -wood;
Room heating output	4,19 kW -wood;
Water heating output	5,07 kW- wood;
Energy efficiency	η [79,53 %]
	dust [36,4 mg/m ³] -wood;
	NOx [120,66 mg/m ³]-wood;
	CxHy [85,49 mg/m ³]- wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.01.2022
Gorna Oryahovitsa

Manager:
(Dimitar Nenov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-6-10-CPR-2022

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Triumph FB*21
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-07-2012

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=300 rear=300 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0738%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	2 bar
Flue gas temperature at nominal heat output	T [276°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	14,05 kW -wood;
Room heating output	7,50 kW -wood;
Water heating output	6,55 kW- wood;
Energy efficiency	η [79,53 %]
	dust [36,4 mg/m ³] -wood;
	NOx [120,66 mg/m ³]-wood;
	CxHy [85,49 mg/m ³]-wood;]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.01.2022
Gorna Oryahovitsa

Manager:
(Dimitar Nenov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-7-1-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Torino, Tali, Triton
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-06-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=300 rear=350 front=1100
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0773 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	7,16 kW- wood;
Room heating output	7,16 kW- wood;
Water heating output	- kW
Energy efficiency	η [83,08%] -wood;
Emission of combustion products	
	dust [25,8 mg/m ³] -wood;
	NOx [84,87 mg/m ³] -wood;
	CxHy [52,54 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: 
 (Plamen Stoyanov)

1. Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Vision, Vision S
2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
7. In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-06-2019

8. Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=700 rear=400 front=1100
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0773%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	7,16 kW- wood;
Room heating output	7,16 kW -wood;
Water heating output	- kW
Energy efficiency	η [83,08%] -wood;
Emission of combustion products	
	dust [25,8 mg/m ³] -wood;
	NOx [84,87 mg/m ³] -wood;
	CxHy [52,54 mg/m ³]

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager: _____
(Plamen Stoyanov)



1. Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Maestro K
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-06-2019


8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=300 rear=350 front=1100
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0773%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	7,55 kW- wood;
Room heating output	7,55 kW -wood;
Water heating output	- kW
Energy efficiency	η [83,08%] -wood;
Emission of combustion products	
	dust [25,8 mg/m ³] -wood;
	NOx [84,87 mg/m ³] -wood;
	CxHy [52,54 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager: 
(Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-7-4-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Verona, Verona L, Verona K, Novara K, Novara S, Spectra K, Venice
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-06-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=250 rear=250 front=1100
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0773 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	9,15 kW -wood;
Room heating output	9,15 kW -wood;
Water heating output	- kW
Energy efficiency	η [83,08%] -wood;
Emission of combustion products	
	dust [25,8 mg/m ³] -wood;
	NOx [84,87 mg/m ³] - wood;
	CxHy [52,54 mg/m ³] - wood;


9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager:

(Plamen Stoyanov)05



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-7-5-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Elegant
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-06-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=400 front=1100
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0773%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	11.00 kW -wood;
Room heating output	11.00 kW -wood;
Water heating output	- kW
Energy efficiency	η [83,08%] -wood;
Emission of combustion products	
	dust [25,8 mg/m ³] -wood;
	NOx [84,87 mg/m ³] - wood;
	CxHy [52,54 mg/m ³] - wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: 
 (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-7-6-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Elegance
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-06-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=400 front=1100
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0773 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	9,15 kW -wood;
Room heating output	9,15 kW -wood;
Water heating output	- kW
Energy efficiency	η [83,08 %] -wood;
Emission of combustion products	
	dust [25,8 mg/m ³] -wood;
	NOx [84,87 mg/m ³] - wood;
	CxHy [52,54 mg/m ³] - wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: _____
 (Plamen Stoyanov)





DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-7-7-CPR-2019

- | | |
|--|--|
| 1.Unique identification code of the product-type: | Area code 27 –roomheaters fired by solid fuel
(EN 13240:2001/A2:2004/AC:2007)
Lotus |
| 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): | Serial № (see rating label on the product). |
| 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: | Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating |
| 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): | Victoria-05 Ltd.
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg |
| 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): | - |
| 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: | System 3 |
| 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: | Kontrol 94 Ltd.
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-06-2019 |

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=400 front=1100
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0773%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	10 kW -wood;
Room heating output	10 kW -wood;
Water heating output	- kW
Energy efficiency	η [83,08%] -wood;
Emission of combustion products	
	dust [25,8 mg/m ³] -wood;
	NOx [84,87 mg/m ³] - wood;
	CxHy [52,54 mg/m ³] - wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager:
(Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-7-8-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Ray, Deluxe L, Maestro, Maestro L, Deluxe LG
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-06-2019


8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=650 rear=650 front=1100
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0773 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	9.00 kW-wood;
Room heating output	9.00 kW-wood;
Water heating output	- kW
Energy efficiency	η [83,08%]-wood;
Emission of combustion products	
	dust [25,8 mg/m ³] -wood;
	NOx [84,87 mg/m ³]
	CxHy [52,54 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager: 
(Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-7-9-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Deluxe, Deluxe A, Deluxe E
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-06-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=650 rear=650 front=1100
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0773 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	11.9 kW-wood;
Room heating output	11.9 kW-wood;
Water heating output	- kW
Energy efficiency	η [83,08%]-wood;
Emission of combustion products	
	dust [25,8 mg/m ³] -wood;
	NOx [84,87 mg/m ³]
	CxHy [52,54 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager:  (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-7-10-CPR-2022

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel
(EN 13240:2001/A2:2004/AC:2007)
Vanessa Lux
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-06-2019

8.Declared performance:


Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=350 rear=350 front=1100
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0773 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	12 kW-wood;
Room heating output	12 kW-wood;
Water heating output	- kW
Energy efficiency	η [83,08%]-wood;
Emission of combustion products	
	dust [25,8 mg/m ³] -wood;
	NOx [84,87 mg/m ³]
	CxHy [52,54 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.01.2022
Gorna Oryahovitsa

Manager:
(Dimitar Nenov)



- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Mega Max, Galant, Luna
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-06-2019


8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=650 rear=650 front=1100
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0773 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	10 kW-wood;
Room heating output	10 kW-wood;
Water heating output	- kW
Energy efficiency	η [83,08%]-wood;
Emission of combustion products	
	dust [25,8 mg/m ³] -wood;
	NOx [84,87 mg/m ³]
	CxHy [52,54 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.01.2022
 Gorna Oryahovitsa

Manager: 
 (Dimitar Nenov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-7-12-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Solar
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-06-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides= 600 rear= 600 front=1100
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0773%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	12 kW -wood;
Room heating output	12 kW -wood;
Water heating output	- kW
Energy efficiency	η [83,08 %] -wood;

Emission of combustion products	dust [25,8 mg/m ³] -wood;
	NOx [84,87 mg/m ³] -wood;
	CxHy [52,54 mg/m ³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: 
 (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-7-13-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Ruby ; Ruby 2
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-06-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=500 rear=500 front=1100
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0773 %] –wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223°C] –wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	8.0 kW–wood;
Room heating output	8.0 kW–wood;
Water heating output	- kW
Energy efficiency	η [83,08%]–wood;
Emission of combustion products	
	dust [25,8 mg/m ³] –wood;
	NOx [84,87 mg/m ³] –wood;
	CxHy [52,54 mg/m ³] - wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager:
(Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-7-14-CPR-2020

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Toledo
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-06-2019


8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=300 rear=350 front=1100
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0773 %] –wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223 °C] –wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	7.0 kW–wood;
Room heating output	7.0 kW–wood;
Water heating output	- kW
Energy efficiency	η [83,08%]–wood;
Emission of combustion products	
	dust [25,8 mg/m ³] –wood;
	NOx [84,87 mg/m ³] –wood;
	CxHy [52,54 mg/m ³]- wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.02.2020
 Gorna Oryahovitsa


 Manager:
 (Dimitar Nenov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-7-15-CPR-2020

- | | |
|--|--|
| 1. Unique identification code of the product-type: | Area code 27 –roomheaters fired by solid fuel
(EN 13240:2001/A2:2004/AC:2007)
Regina |
| 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): | Serial № (see rating label on the product). |
| 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: | Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating |
| 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): | Victoria-05 Ltd.
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg |
| 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): | - |
| 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: | System 3 |
| 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: | Kontrol 94 Ltd.
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-06-2019 |


8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=650 rear=650 front=1100
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0773 %] –wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223 C] –wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	9.0 kW–wood;
Room heating output	9.0 kW–wood;
Water heating output	- kW
Energy efficiency	η [83,08%]–wood;
Emission of combustion products	
	dust [25,8 mg/m ³] –wood;
	NOx [84,87 mg/m ³] –wood;
	CxHy [52,54 mg/m ³] - wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.02.2020
Gorna Oryahovitsa

Manager: 
(Dimitar Nenov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-8-1-CPR-2022

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Verona KBO, Verona KB*, Verona BO, Spectra KB*, Spectra KBO, Venice B*
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-06-2012


8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=250 rear=250 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0.0989 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	2 bar
Flue gas temperature at nominal heat output	T [272°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	9.26 kW -wood;
Room heating output	4.19 kW -wood;
Water heating output	5.07 kW -wood;
Energy efficiency	η [73.44%] -wood;
Emission of combustion products	
	dust [35.4 mg/m ³] -wood;
	NOx [108.01 mg/m ³] -wood;
	CxHy [- mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.01.2022
Gorna Oryahovitsa

Manager: 
(Dimitar Nenov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-8-3-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007) **Elegant B***
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str.,51100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-06-2012

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=250 rear=250 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0.0989 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	2 bar
Flue gas temperature at nominal heat output	T [272°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	12.00 kW -wood;
Room heating output	5.00 kW -wood;
Water heating output	7.00 kW -wood;
Energy efficiency	η [73.44%] -wood;
Emission of combustion products	
	dust [35.4 mg/m ³] -wood;
	NOx [108.01 mg/m ³] -wood;
	CxHy [- mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager:

(Plamen Stoyanov)





DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-8-4-CPR-2019

- | | |
|--|--|
| 1.Unique identification code of the product-type: | Area code 27 –roomheaters fired by solid fuel
(EN 13240:2001/A2:2004/AC:2007)
Panama AB* , Panama 2AB* |
| 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): | Serial № (see rating label on the product). |
| 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: | Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating |
| 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): | Victoria-05 Ltd.
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg |
| 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): | - |
| 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: | System 3 |
| 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: | Kontrol 94 Ltd.
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-06-2012 |

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=250 rear=250 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0.0989 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	2 bar
Flue gas temperature at nominal heat output	T [272°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	9.00 kW -wood;
Room heating output	4.00 kW -wood;
Water heating output	5.00 kW -wood;
Energy efficiency	η [73.44%] -wood;
Emission of combustion products	
	dust [35.4 mg/m ³] -wood;
	NOx [108.01 mg/m ³] -wood;
	CxHy [- mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager: 
 (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-9-1-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Passat, Padua
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-03-2014

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=500 rear=500 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0.0880 %] –wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223°C] –wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	5.42 kW–wood;
Room heating output	5.42 kW–wood;
Water heating output	- kW
Energy efficiency	η [80.01%]–wood;
Emission of combustion products	
	dust [39.50 mg/m ³] –wood;
	NOx [118.30 mg/m ³] –wood;
	CxHy [70.08 mg/m ³]- wood

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager:  (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-9-2-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Bora L, Bora Lux L, Deluxe SI, Deluxe SIH
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-03-2014

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=500 rear=500 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0.088 %] –wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223°C] –wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	5.0 kW–wood;
Room heating output	5.0 kW–wood;
Water heating output	- kW
Energy efficiency	η [80.01%]–wood;
Emission of combustion products	
	dust [39.50 mg/m ³] –wood
	NOx [118.30 mg/m ³] –wood
	CxHy [70.08 mg/m ³] - wood

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: 
 (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-9-3-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Deluxe Sm
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-03-2014


8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=500 rear=500 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0.088 %] –wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223°C] –wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	7.0 kW–wood;
Room heating output	7.0 kW–wood;
Water heating output	- kW
Energy efficiency	η [80.01%]–wood;
Emission of combustion products	
	dust [39.50 mg/m ³] –wood;
	NOx [118.30 mg/m ³] –wood;
	CxHy [70.08 mg/m ³]- wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager: 
(Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-9-4-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Nero
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-03-2014


8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=500 rear=500 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0.088 %] –wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223°C] –wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	6.0 kW–wood;
Room heating output	6.0 kW–wood;
Water heating output	- kW
Energy efficiency	η [80.01%]–wood
Emission of combustion products	
	dust [39.50 mg/m ³] –wood
	NOx [118.30 mg/m ³] –wood
	CxHy [70.08 mg/m ³]– wood

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: 
 (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-9-5-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
iStove
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-03-2014

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=400 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0.1227 %] –wood
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [182°C] –wood
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	5.0 kW–wood
Room heating output	5.0 kW–wood
Water heating output	- kW
Energy efficiency	η [84.06%]–wood
Emission of combustion products	
	dust [77.9 mg/m ³] –wood
	NOx [118.30 mg/m ³] –wood
	CxHy [70.08 mg/m ³]– wood

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: 
 (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-9-6-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Bora Lux, Bora
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-03-2014

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=450 rear=450 front=1000
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,088 %] –wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223°C] –wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	8.25 kW–wood;
Room heating output	8.25 kW–wood;
Water heating output	- kW
Energy efficiency	η [80,01%]–wood;
Emission of combustion products	
	dust [39,5 mg/m ³] –wood;
	NOx [118,3 mg/m ³]
	CxHy [70,08 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager:
 (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-9-7-CPR-2020


- | | |
|--|--|
| 1.Unique identification code of the product-type: | Area code 27 –roomheaters fired by solid fuel
(EN 13240:2001/A2:2004/AC:2007)
Parma, Parma L, Parma SL |
| 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): | Serial № (see rating label on the product). |
| 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: | Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating |
| 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): | Victoria-05 Ltd.
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg |
| 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): | - |
| 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: | System 3 |
| 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: | Kontrol 94 Ltd.
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-03-2014 |

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=450 rear=450 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,088 %] –wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223 C] –wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	5.00 kW–wood;
Room heating output	5.00 kW–wood;
Water heating output	- kW
Energy efficiency	η [80,01%]–wood;
Emission of combustion products	
	dust [39,5 mg/m ³] –wood;
	NOx [118,3 mg/m ³]
	CxHy [70,08 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:




Manager:
(Dimitar Nenov)

01.02.2020
Gorna Oryahovitsa

DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-9-8-CPR-2020

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Neo, Evo
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-03-2014

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=400 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,088 %] –wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [223°C] –wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	5.00 kW–wood;
Room heating output	5.00 kW–wood;
Water heating output	- kW
Energy efficiency	η [80,01%]–wood;
Emission of combustion products	
	dust [39,5 mg/m ³] –wood;
	NOx [118,3 mg/m ³]
	CxHy [70,08 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.02.2020
 Gorna Oryahovitsa

Manager:
 (Dimitar Nenov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-10-1-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel
(EN 13240:2001/A2:2004/AC:2007)
Taro F, Taro 2F
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-04-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=400 front=900
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0988 %]-wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [230°C]- wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	9,53 kW -wood;
Room heating output	9,53 kW -wood;
Water heating output	- kW
Energy efficiency	η [76.68%]-wood;
Emission of combustion products	
	dust [26,4 mg/m ³]-wood;
	NOx [100,04 mg/m ³]
	CxHy [67,55 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager: 
(Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-10-2-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Comfort F, Comfort KF
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-04-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=400 front=1000
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0988 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [230°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	10.00 kW-wood;
Room heating output	10.00 kW-wood;
Water heating output	- kW
Energy efficiency	η [76,91%]-wood;

Emission of combustion products	dust [26,4 mg/m ³] -wood;
	NOx [100,04 mg/m ³]
	CxHy [67,55 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: _____
 (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-10-3-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Grande F
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-04-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=400 front=1000
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0988 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [230°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	12 kW-wood;
Room heating output	12kW-wood;
Water heating output	- kW
Energy efficiency	η [76,91%]-wood;

Emission of combustion products	dust [26,4 mg/m ³] -wood;
	NOx [100,04 mg/m ³]
	CxHy [67,55 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager:
 (Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-10-4-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Triumph F
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-04-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=700 rear=500 front=1000
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0988%] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [230°C] -wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	15.00 kW-wood;
Room heating output	15.00 kW-wood;
Water heating output	- kW
Energy efficiency	η [76,91%]-wood;

Emission of combustion products	dust [26,4 mg/m ³] -wood;
	NOx [100,04 mg/m ³]
	CxHy [67,55 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager:
(Plamen Stoyanov)





DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-10-5-CPR-2019

- | | |
|--|--|
| 1.Unique identification code of the product-type: | Area code 27 –roomheaters fired by solid fuel
(EN 13240:2001/A2:2004/AC:2007)
Deluxe F, Deluxe FR |
| 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): | Serial № (see rating label on the product). |
| 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: | Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating |
| 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): | Victoria-05 Ltd.
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg |
| 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): | - |
| 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: | System 3 |
| 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: | Kontrol 94 Ltd.
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-04-2019 |

8.Declared performance:


Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=700 rear=500 front=1000
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,0988 %]-wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [230°C]- wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	11,3 kW -wood;
Room heating output	11,3 kW -wood;
Water heating output	- kW
Energy efficiency	η [76,91%]-wood;
Emission of combustion products	
	dust [26,4 mg/m ³]-wood;
	NOx [100,04 mg/m ³]
	CxHy [67,55 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager: _____
(Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-12-1-CPR-2019

1. Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Pandora C, Pandora CA
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-18-2011


8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=500 rear=700 front=1000
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0.1542 %] -wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [307 C]-wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	12.38 kW-wood;
Room heating output	12.38 kW-wood;
Water heating output	- kW
Energy efficiency	η [76.94%]-wood;
Emission of combustion products	
	dust [57.80 mg/m ³] -wood;
	NOx [- mg/m ³]
	CxHy [- mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: 
 (Dimitar Nenov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-12-2-CPR-2019

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel (EN 13240:2001/A2:2004/AC:2007)
Bora C
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
 1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
 Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
 2 Mladost Str., 5100 Gorna Oryahovitsa
 Republic of Bulgaria, Body: NB1879
 Test report: NB 1879-K-18-2011

8.Declared performance:


Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=450 rear=450 front=1000
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0,1542 %] –wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	- bar
Flue gas temperature at nominal heat output	T [305°C] –wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	9.50 kW–wood;
Room heating output	9.50 kW–wood;
Water heating output	- kW
Energy efficiency	η [307%]–wood;
Emission of combustion products	
	dust [57,8 mg/m ³] –wood;
	NOx [- mg/m ³]
	CxHy [- mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
 Gorna Oryahovitsa

Manager: (Plamen Stoyanov) 5



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-14-1-CPR-2019

- | | |
|--|--|
| 1.Unique identification code of the product-type: | Area code 27 –roomheaters fired by solid fuel
(EN 13240:2001/A2:2004/AC:2007)
Atlant CB*, Atlant CMB* |
| 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): | Serial № (see rating label on the product). |
| 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: | Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating |
| 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): | Victoria-05 Ltd.
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg |
| 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): | - |
| 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: | System 3 |
| 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: | Kontrol 94 Ltd.
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-32-2011 |

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=400 front=800
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0.3667 %] –wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	2 bar
Flue gas temperature at nominal heat output	T [283°C] –wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	15.15 kW–wood;
Room heating output	7.65 kW–wood;
Water heating output	7.50 kW–wood;
Energy efficiency	η [69.59%]–wood;
Emission of combustion products	dust [- mg/m ³]
	NOx [- mg/m ³]
	CxHy [- mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019
Gorna Oryahovitsa

Manager: _____
(Plamen Stoyanov)



DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-15-1-CPR-2020

- 1.Unique identification code of the product-type: Area code 27 –roomheaters fired by solid fuel
(EN 13240:2001/A2:2004/AC:2007)
Modena Vision
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Victoria-05 Ltd.**
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-08-2020

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=800 rear=300 front=1400
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0.0396 %] –wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	bar
Flue gas temperature at nominal heat output	T [244°C] –wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	9,76 kW–wood;
Room heating output	9,76 kW–wood;
Water heating output	–wood;
Energy efficiency	η [82.05%]–wood;
Emission of combustion products	
	dust [26,20 /m ³]
	NOx [104,86 mg/m ³]
	CxHy [71,23 mg/m ³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.07.2020
Gorna Oryahovitsa

Manager:
(Dimitar Nenov)





DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-15-2-CPR-2020

- | | |
|--|--|
| 1.Unique identification code of the product-type: | Area code 27 –roomheaters fired by solid fuel
(EN 13240:2001/A2:2004/AC:2007)
Modena , Modena L |
| 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): | Serial № (see rating label on the product). |
| 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: | Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating |
| 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): | Victoria-05 Ltd.
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg |
| 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): | - |
| 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: | System 3 |
| 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: | Kontrol 94 Ltd.
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-08-2020 |

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=600 rear=300 front=1400
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0.0396 %] –wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	bar
Flue gas temperature at nominal heat output	T [244°C] –wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	9,76 kW–wood;
Room heating output	9,76 kW–wood;
Water heating output	–wood;
Energy efficiency	η [82.05%]–wood;
Emission of combustion products	
	dust [26,20 /m³]
	NOx [104,86 mg/m³]
	CxHy [71,23 mg/m³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Manager:  
 (Dimitar Nenov)

01.07.2020
 Gorna Oryahovitsa

DECLARATION OF PERFORMANCE
according to Regulation (EC) 305/2011
№ 1-16-1-CPR-2021

- | | |
|--|--|
| 1.Unique identification code of the product-type: | Area code 27 –roomheaters fired by solid fuel
(EN 13240:2001/A2:2004/AC:2007)
Capri |
| 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): | Serial № (see rating label on the product). |
| 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: | Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating |
| 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): | Victoria-05 Ltd.
1B Ivan Momchilov Str.,5100 Gorna Oryahovitsa
Republic of Bulgaria, E-mail: info@v05.bg |
| 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): | - |
| 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: | System 3 |
| 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: | Kontrol 94 Ltd.
2 Mladost Str., 5100 Gorna Oryahovitsa
Republic of Bulgaria, Body: NB1879
Test report: NB 1879-K-08-2020 |

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=500 rear=500 front=1200
Risk of burning fuel falling out	Pass
Emission of combustion products	CO [0.0834 %] –wood;
Surface temperature	Pass (operating tool)
Electrical safety	NPD
Cleanability	Pass
Maximum water operating pressure	bar
Flue gas temperature at nominal heat output	T [225°C] –wood;
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Nominal heat output	7,61 kW–wood;
Room heating output	7,61 kW–wood;
Water heating output	–wood;
Energy efficiency	η [80,54%]–wood;
Emission of combustion products	
	dust [28,60 /m³]
	NOx [108,39 mg/m³]
	CxHy [31,93 mg/m³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4

Signed for and on behalf of the manufacturer by:

23.01.2021
Gorna Oryahovitsa

Manager:
(Dimitar Nenov)

